

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	((385/114) or (385/85) or (385/124)) .CCLS.	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
2	IS&R	L2	3611 (451/41) .CCLS.	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
3	BRS	L3	18 L2 and "385"/\$.ccls.	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
4	BRS	L4	21 L1 and "451"/\$.ccls.	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
5	BRS	L5	38903 (grinding or ground or polishing or polished or abrading or abraded) with (angle or angled or slant or slanted. Or oblique or obliquely or ("6" or "7" or "8") adj2 (degree or degrees))	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
6	BRS	L6	96 L1 and L5	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
7	BRS	L7	4026 (tape or ribbon) with (cable or cables).ti,ab.	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
8	BRS	L8	18 L7 and L5	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
9	BRS	L9	129 (L3 or L4 or L6 or L8)	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			

10 / 692729 (update)

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errorors
10	BRS	L10 37	((fiber or fibers) near3 (deflected or bent)) with (grinding or polishing or abrading or abrasive or grinder)	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
11	BRS	L11 36	L10 not L9	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
12	BRS	L12 16	L11 and ("385"/\$.cc1s. or "451"/\$.cc1s.)	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
13	BRS	L13 8069	L5.ti,ab.	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
14	BRS	L14 162	L13 and "385"/\$.cc1s.	US-PGPUB; USPAT; JPO	2006/0 5/18 16:15			
15	BRS	L15 207	L9 or L12 or L14	US-PGPUB; USPAT	2006/0 5/18 16:15			
16	BRS	L16 7	L15 and @pd>"20051215"	US-PGPUB; USPAT	2006/0 5/18 16:15			

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	((fibers or fibres) and (ribbon or tape) and (grin or gradient or graded) and ((single adj mode) or singlemode) and (angle or angled or incline or inclined or slant or slanted)).clm.	US-PGPUB	2006/05/18 16:27			

(interference)